

PRODUCT NEWS

For more information, contact
John O'Reilly
O'Reilly DePalma
815-469-9100
john.oreilly@BetterPR.com

Stylish One-Piece Macerating Toilet from Saniflo

The sleek, one-piece SANICOMPACT toilet from SFA Saniflo offers a reliable green solution that saves both water and floor space in a residential powder room application. The product installs quickly and easily anywhere in the home, with no venting required (check local plumbing codes). Equipped with a dual-flush push button, SANICOMPACT allows the user to control the gallons used per flush and conserve water. In addition to handling toilet waste, the SANICOMPACT can also pump water away from a nearby sink.



THE SANICOMPACT USES 38% LESS WATER PER FLUSH THAN A CONVENTIONAL TOILET, WHILE ITS COMPACT, ONE-PIECE DESIGN SAVES VALUABLE BATHROOM SPACE.

Operating with either 1 or 1.28 gallons of water per flush (gpf), the self-contained SANICOMPACT can use up to 21 percent less water than a standard 1.28 gpf toilet when the 1 gpf setting is activated. That translates into a potential household savings of nearly 16 gallons of water per day, according to data from the U.S. Environmental protection agency. (See: http://www.epa.gov/watersense/docs/ws_indoor508.pdf).

Integrated design: SANICOMPACT saves space through a sleek, contemporary design that combines a macerating pump and a tank-less toilet bowl into a single fixture. The unit also comes with a soft-close toilet seat and all necessary hardware for installation.

With this integrated design, the SANICOMPACT measures only 14.5 inches wide and 21.5 inches deep. That makes it ideal for tight areas where installation space is limited, such as in attics, pool houses, bedroom areas, basements and garages. The SANICOMPACT is ideal for installations under a stairway or in a closet to create an additional — even temporary — powder room. Its comparatively low, 18.5-inch height also provides easier, more comfortable access than a standard toilet.

SANIFLO

1-800-571-8191 | www.saniflo.com

Easy to operate: Made of vitreous china, the SANICOMPACT works in much the same manner as Saniflo's other systems, except that the pump and macerating unit are housed inside the fixture. Also, unlike a conventional toilet, the SANICOMPACT needs no external, gravity-flow tank. That's because the flushing-macerating cycle is automatic with a push of an electric button at the top of the bowl.



EQUIPPED WITH A DUAL-FLUSH PUSH BUTTON, SANICOMPACT ALLOWS THE USER TO CONTROL THE GALLONS USED PER FLUSH AND CONSERVE WATER.

The system uses a one-inch discharge pipe to pump effluent 9 feet vertically, 120 feet horizontally, or a combination of both. (Note: A vertical run of three feet is equivalent to a horizontal run of 30 feet.)

How it works: What follows is a step-by-step description of the flushing-macerating cycle in a SANICOMPACT:

- Pressing the electronic button activates a timer and a solenoid valve, filling the toilet bowl and washing its sides with water.
- Operating with a pressure of seven pounds per square inch (7 psi), the pump motor starts, drawing effluent and paper through the bowl and to the macerator, using either 1.28 or 1 gallon of water per flushing cycle.
- The macerator's stainless steel cutting blades never need to be replaced and quickly reduce the effluent, pumping it away through the one-inch discharge line.
- The pump motor stops within 14 seconds of its activation and the bowl automatically refills with fresh water to be ready for the next flush.
- The pressure switch automatically activates while draining the sink causing the unit to turn on without having to flush the toilet to pump out the gray water.
- A similar system from Saniflo, the Sanistar, is a wall-hung unit.

The SANICOMPACT carries a CSA mark for electrical use in the U.S.A. as well as Canada. Saniflo warrants the SANICOMPACT, including all electrical components, for two years. Visit www.saniflo.com for additional warranty information, including the new 2+1 year limited

warranty.

View this video to learn of the SANICOMPACT'S setup and operation:

<https://www.youtube.com/watch?v=0vjmhc6QpUA>